

**Drugs of Abuse Chart – [www.ezkeycup.com](http://www.ezkeycup.com)**

<b>Drugs</b>	<b>CSA Schedules</b>	<b>Trade or Other Names</b>	<b>Medical Uses</b>	<b>Physical</b>	<b>Psych o- logica l</b>	<b>Tolerance</b>	<b>Durati on (Hour s)</b>	<b>Usual Meth od</b>	<b>Possible Effects</b>
<b>Narcotics</b>									
<b>Heroin</b>	Substance I	Diamorphine, Horse, Smack, Black tar, Chiva, Negra (black tar)	None in U.S., Analgesic, Antitussive	High	High	Yes	3-4	Injected, snorted, smoked	Euphoria, drowsiness, respiratory depression, constricted pupils, nausea
<b>Morphine</b>	Substance II	MS-Contin, Roxanol, Oramorph SR, MSIR	Analgesic	High	High	Yes	3-12	Oral, injected	
<b>Hydrocodone</b>	Substance II, Product III, V	Hydrocodone w/ Acetaminophen, Vicodin, Vicoprofen, Tussionex, Lortab	Analgesic, Antitussive	High	High	Yes	3-6	Oral	
<b>Hydro-morphone</b>	Substance II	Dilaudid	Analgesic	High	High	Yes	3-4	Oral, injected	
<b>Oxycodone</b>	Substance II	Roxicet, Oxycodone w/ Acetaminophen, OxyContin, Endocet, Percocet, Percodan	Analgesic	High	High	Yes	3-12	Oral	
<b>Codeine</b>	Substance II, Products III, V	Acetaminophen, Guaifenesin or Promethazine w/Codeine, Fiorinal, Fioricet or Tylenol w/Codeine	Analgesic, Antitussive	Moderate	Moderate	Yes	3-4	Oral, injected	
<b>Other Narcotics</b>	Substance II, III, IV	Fentanyl, Demerol, Methadone, Darvon, Stadol, Talwin, Paregoric, Buprenex	Analgesic, Antidiarrheal, Antitussive	High-Low	High-Low	Yes	Volatile	Oral, injected, snorted, smoked	
<b>Depressants</b>									
<b>gamma Hydroxybutyric Acid</b>	Substance I, Product III	GHB, Liquid Ecstasy, Liquid X, Sodium	None in U.S., Anesthetic	Moderate	Moderate	Yes	3-6	Oral	Slurred speech, disorientation, drunken

		Oxybate, Xyrem®								behavior without odor of alcohol, impaired memory of events, interacts with alcohol
<b>Benzodiazepines</b>	Substance IV	Valium, Xanax, Halcion, Ativan, Restoril, Rohypnol (Roofies, R-2), Klonopin	Antianxiety, Sedative, Anti-convulsant, Hypnotic, Muscle Relaxant	Moderate	Moderate	Yes	1-8	Oral, injected		
<b>Other Depressants</b>	Substance I, II, III, IV	Ambien, Sonata, Meprobamate, Chloral Hydrate, Barbiturates, Methaqualone (Quaalude)	Antianxiety, Sedative, Hypnotic	Moderate	Moderate	Yes	2-6	Oral		
<b>Stimulants</b>										
<b>Cocaine</b>	Substance II	Coke, Flake, Snow, Crack, Coca, Blanca, Perico, Nieve, Soda	Local anesthetic	Possible	High	Yes	1-2	Snorted, smoked, injected	Increased alertness, excitation, euphoria, increased pulse rate & blood pressure, insomnia, loss of appetite	
<b>Amphetamine/ Methamphetamine</b>	Substance II	Crank, Ice, Cristal, Krystal Meth, Speed, Adderall, Dexedrine, Desoxyn	Attention deficit/ hyperactivity disorder, narcolepsy, weight control	Possible	High	Yes	2-4	Oral, injected, smoked		
<b>Methylphenidate</b>	Substance II	Ritalin (Illy's), Concerta, Focalin, Metadate	Attention deficit/ hyperactivity disorder	Possible	High	Yes	2-4	Oral, injected, snorted, smoked		
<b>Other Stimulants</b>	Substance III, IV	Adipex P, Ionamin, Prelu-2, Didrex, Provigil	Vaso-constriction	Possible	Moderate	Yes	2-4	Oral		
<b>Hallucinogens</b>										
<b>MDMA and Analogs</b>	Substance I	(Ecstasy, XTC, Adam), MDA (Love Drug), MDEA (Eve), MBDB	None	None	Moderate	Yes	4-6	Oral, snorted, smoked	Heightened senses, teeth grinding and dehydration	

<b>LSD</b>	Substance I	Acid, Microdot, Sunshine, Boomers	None	None	Unknown	Yes	8-12	Oral	Illusions and hallucinations, altered perception of time and distance
<b>Phencyclidine and Analogs</b>	Substance I, II, III	PCP, Angel Dust, Hog, Loveboat, Ketamine (Special K), PCE, PCPy, TCP	Anesthetic (Ketamine )	Possible	High	Yes	1-12	Smoked, oral, injected, snorted	
<b>Other Hallucinogens</b>	Substance I	Psilocybe mushrooms, Mescaline, Peyote Cactus, Ayahuasca, DMT, Dextro-methorphan* (DXM)	None	None	None	Possible	4-8	Oral	
<b>Cannabis</b>									
<b>Marijuana</b>	Substance I	Pot, Grass, Sinsemilla, Blunts, Mota, Yerba, Grifa	None	Unknown	Moderate	Yes	2-4	Smoked, oral	Euphoria, relaxed inhibitions, increased appetite, disorientation
<b>Tetrahydro-cannabinol</b>	Substance I, Product III	THC, Marinol	Antinauseant, Appetite stimulant	Yes	Moderate	Yes	2-4	Smoked, oral	
<b>Hashish and Hashish Oil</b>	Substance I	Hash, Hash oil	None	Unknown	Moderate	Yes	2-4	Smoked, oral	
<b>Anabolic Steroids</b>									
<b>Testosterone</b>	Substance III	Depo Testosterone, Sustanon, Sten, Cypt	Hypogonadism	Unknown	Unknown	Unknown	14-28 days	Injected	Virilization, edema, testicular atrophy, gyneco-mastia, acne, aggressive behavior
<b>Other Anabolic Steroids</b>	Substance III	Parabolan, Winstrol, Equipose, Anadrol, Dianabol, Primabolin-Depo, D-Ball	Anemia, Breast cancer	Unknown	Yes	Unknown	Volatile	Oral, injected	
<b>Inhalants</b>									
<b>Amyl and Butyl Nitrite</b>		Pearls, Poppers, Rush, Locker Room	Angina (Amyl)	Unknown	Unknown	No	1	Inhaled	Flushing, hypotension, headache
<b>Nitrous Oxide</b>		Laughing gas, balloons, Whippets	Anesthetic	Unknown	Low	No	0.5	Inhaled	Impaired memory, slurred speech,

<b>Other Inhalants</b>		Adhesives, spray paint, hair spray, dry cleaning fluid, spot remover, lighter fluid	None	Unknown	High	No	0.5-2	Inhaled	drunken behavior, slow onset vitamin deficiency , organ damage
<b>Alcohol</b>		Beer, wine, liquor	None	High	High	Yes	1-3	Oral	

- Source [US Drug & Alcohol Enforcement Information](#) - June 2004

The mission of the Drug Enforcement Administration (DEA) is to enforce the controlled substances laws and regulations of the United States and bring to the criminal and civil justice system of the United States, or any other competent jurisdiction, those organizations and principal members of organizations, involved in the growing, manufacture, or distribution of controlled substances appearing in or destined for illicit traffic in the United States; and to recommend and support non-enforcement programs aimed at reducing the availability of illicit controlled substances on the domestic and international markets.

Other helpful Drug of Abuse Information Pieces from the DEA are: [Drug Index](#) | [Drug Prevention for Young Adults](#)